

1 pc. JUNTAN HHK 14/16S hydraulic hammer

Max. energy in 16t configuration	235	kNm
Max. drop height	1.500	mm
Blowrate	30-100	bl/min.
Operational weight incl drive cap A	27.000	kg
Drive cap housing model	1.220	mm
Oil flow	657	liter/min.
Working pressure	203	bar
Drive cap A for standard sleeve	1.220	mm maximum diameter
Year of manufacture	2009	

1 pc. Junttan hydraulic power pack 15CCU

Engine	Cummims turbo diesel, tier III
Max. output	298 kW (400 hp)
Max operating hyd pressure	350 bar
Max. oil flow	690 liter/min @ 2 000 rpm
Weight indication	8.500 kg
Year of manufacture	2009
Running hours	826 hours only



Juttan HHK 14/16S on last project



Original Junttan 15CCU power pack with Cummins engine, tier III, biodegradable oil

Pricing:

1 unit used Junttan HHK 14/16S hydraulic hammer complete with Junttan power pack 15CCU (60m hoses)	Euro	309,000
1 pc. sleeve for casings 1220mm, free suspended model	Euro	24,380
1 pc. short sleeve for casings 1220mm leader guided operation	Euro	19,220
1 pc. customized sleeve for combi wall installations	Euro	21,150
1 pc. Junttan data acquisition system	Euro	13,350
Subtotal of the above supply	Euro	387,100

Optionally:

1 pc. extra spare striker plate (used) for 1.220mm sleeve, including 2 rebound rings and nylon cushion	Euro	11,150
1 pc. new strike plate model 1700mm, special drive cap housing and sleeve (2m long model) max casing 1625 / 64" (inserts upon request)	Euro	72,850



Short sleeve, Long Sleeve, Combi wall sleeves for Junttan HHK 14/16S